

# Jet spout cabinet / Pillar fire hydrant



## Description

---

A pillar fire hydrant is designed for a room where the walls are already reserved for other use, such as in a store or industrial hall. The pillar fire hydrant is mounted onto a pillar or a wall. The fire hydrant cabinet is light enough to be mounted on a lightweight interior wall. A hose reel must be ordered to accompany the pillar fire hydrant cabinet.

PV-23 and PV-60 hose reels are suitable for a fire hydrant which is equipped with a shut-off valve. The PV-57 model has a space for a fire extinguisher.

## Standard

---

Manufactured according to EN 671-1 standard specifications.

## Surface finish

---

Epoxy powder coated.

Standard colours:

- grey (RAL 7040)
- white (RAL 9016)
- red (RAL 3020)

## Fire extinguisher

---

The fire extinguishers are tested, inspected and approved according to EN3 standard regulations. They are equipped with a wall mounting bracket and a label. The fire extinguisher is not included in the price.

## Lock

---

The door is equipped with a special lock that is shielded by a breakable protective glass (picture on the right).





## Cabinet alternatives





---

Code	Model	Dimensions L x H x D
2956100	PV-7 SV	300 x 300 x 200 mm
2956099	PV-7 IV Mini	200 x 250 x 150 mm
2956093	PV-57 SV	300 x 800 x 290 mm
2956094	PV-57 IV	300 x 800 x 290 mm

## Dimensions





							
DESIGNED		DATE		MATERIAL		PART NAME	
APPROVED		DATE		1.0570 (S355J2G3)		PV-57 SV	
				ENGINE		SECTION	
				SCALE 1:10		DRAWING NUMBER	
				SHEET 1 OF 1		ALLOCATION	
						REVISION	
						A3	

No part of this document may be reproduced or distributed in any form or by any means, or stored in database, without written permission of owner.

