PV-75 Watering cart



Description

Width 600 x height 1030 x depth 500 mm

The PV-75 model is a sturdy steel cart for watering. It is equipped with a 16mm PVC hose or 19 mm fire hydrant hose and a spray nozzle or a watering pistol. The feed hose (19 mm/3 m or 16 mm/5 m) is equipped with a 1" quick connect fitting.

Surface finish

Epoxy powder coated.

Standard colours:

-grey (RAL 7040)

-white (RAL 9016)

-red (RAL 3020)

Hose

1. Watering hose PVC/polyester

Operating pressure: 2,0 MPa

2. Fabric surface polyester/EPDM lightweight hose. Fulfils EN 694:2001 standard.

Operating pressure: 1,2 MPa

Burst pressure: 9 MPa

3. Nitrile/PVC fire hydrant hose reinforced with polyester webbing. Fulfils EN 694:2001 Type A Class 2 standard.

> Operating pressure: 1,2 MPa Burst pressure: 4 MPa

Reel

The reels are made from 1 mm steel and the hub of the reel is made from a special pressure-tested brass casting.

Hose size alternatives

| Code | Model | SIze |
|---------|-------|--------------------------|
| 2958106 | PV-75 | 16 mm/ 15 m |
| 2958107 | PV-75 | 16 mm/20 m |
| 2958108 | PV-75 | 16 mm/25 m |
| 2958109 | PV-75 | 19 mm/ 15 m |
| 2958110 | PV-75 | 19 mm/20 m |
| 2958100 | PV-75 | Without a hose or nozzle |

