

PV-95 hose cart, heavy duty model



Description

Length 550 x height 950 x depth 650 mm

An industrial model designed for heavy-duty use. Holds considerably more hose than its counterparts. Set includes a fire hydrant hose, a spray nozzle, a rewinding crank and a feed hose (3 m) with a 1" quick connect fitting.

Surface finish

Epoxy powder coated.

Standard colours:

- grey (RAL 7040)
- white (RAL 9016)
- red (RAL 3020)

Hose

1. Fabric surface polyester/EPDM lightweight hose. Fulfils EN 694:2001 standard.
 - Operating pressure: 1,2 MPa
 - Burst pressure: 9 MPa
2. Nitrile/PVC fire hydrant hose reinforced with polyester webbing. Fulfils EN 694:2001 Type A Class 2 standard.
 - Operating pressure: 1,2 MPa
 - Burst pressure: 4 MPa

The hose assembly is equipped with a spray nozzle.

Reel

The reels are made from 1 mm steel and the hub of the reel is made from a special pressure-tested brass casting.



Hose size alternatives

Code	Model	Size
2958302	PV-95	19 mm/ 30 m
2958304	PV-95	19 mm/40 m
2958306	PV-95	19 mm/50 m
2958308	PV-95	19 mm 60 m
2958310	PV-95	19 mm/70 m
2958312	PV-95	19 mm/80 m
2958314	PV-95	19 mm/90 m
2958316	PV-95	25 mm/30 m
2958318	PV-95	25 mm/40 m
2958320	PV-95	25 mm/50 m
2958322	PV-95	25 mm/60 m
2958324	PV-95	25 mm/70 m
2958300	PV-95	without a hose or nozzle

PV-95 R stainless steel hose cart

The cart and reel are made from stainless steel

Code	Model	Size
2958400	PV-95R	without a hose or nozzle



Exploded view of reel



18	Kimitysäleym, ruuvi, M8x12, sinkkikanta	4
17	Kelvin kimitysäleym, 130x150x3, spallity	1
16	Pöytäsuola	1
15	Kelomassaus ruuteri, M8, spallity	4
14	Kelomassaus ruuvi, M8x200, spallity	4
13	Kimitysaruvut, itsesäätynyt, M8x10, spallity	6
12	Kimitysaruvut, M16, Nylon, spallity	1
11	Aluslevy, M16 D20 o17, spallity	1
10	Joutenkaula, messinki	1
9	Kelomassaus, 0,75 spallity	1
8	Tuulevy, 1,25 spallity	1
7	Kelomassaus, spallity, moduuli RAL 3020	2
6	Ö-erengos, kumi	2
5	Ö-erengos, kumi	1
4	Ö-erengos, kumi	1
3	Kokkierengos, 3m D47 d40,5 nylon	1
2	Keskisäädin, messinki	1
1	Keskisäädin, messinki	1
Dp		Kpi