

# PV-Outdoor fire hydrant



## Description

---

The PV-Outdoor fire hydrant makes it possible to mount a fire hose and valve spindle on an exterior wall. The PV-Outdoor fire hydrant can be fitted with a PV standard cabinet 5/12.

## Standard

---

Manufactured according to EN 671-1 standard specifications.

## Surface finish

---

Epoxy powder coated.

Standard colours:

- grey (RAL 7040)
- white (RAL 9016)
- red (RAL 3020)

## Equipment

---


PV-Outdoor fire hydrant is includes a shut-off valve, piping, a quick connect nipple and a telescopic extension spindle.

## Models

---

Code	Model/ size
2951098	PV-outdoor 1"
2951097	PV-outdoor 2"
2951099	PV-outdoor 3"

## Dimensions





When ordering an outdoor fire hydrant, let us know

1. Wall thickness

OR

2. Wall thickness and the distance of the pipe center from the inner surface of the wall.


[illegible]



When ordering an outdoor fire hydrant, let us know

1. Wall thickness
- OR
2. Wall thickness and the distance of the pipe center from the inner surface of the wall.

[illegible]



When ordering an outdoor fire hydrant, let us know

### 1. Wall thickness

OR

2. Wall thickness and the distance of the pipe center from the inner surface of the wall.

[illegible]